Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library O The Guide

THE ACM DIGITAL LIBRARY

Feedback

scaling coefficients of stroke coordinates Found Terms used: 41 of scaling coefficients of stroke coordinates 245,317

Sort		Save	Refine
results by Display results	expanded form	results to a Binder	these
			results
			with
			<u>Advanced</u>
		Open results in a new window	<u>Search</u>
			Try this
			search
			in The
			ACM
			Guide
			CO 40 1 CA 40

Results 1 - 20 of 41 Result page: 1 next

<u>>></u>

Point-based computer graphics



Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias Zwicker

August

SIGGRAPH '04: ACM SIGGRAPH 2004 Course Notes

2004

Publisher: ACM

Full text available: pdf(8.94

Additional Information: full citation, abstract, cited by

Bibliometrics: Downloads (6 Weeks): 12, Downloads (12 Months): 504, Citation Count: 3

This course introduces points as a powerful and versatile graphics primitive. Speakers present their latest concepts for the acquisition, representation, modeling, processing, and rendering of point sampled geometry along with applications and research ...

A gentle introduction to bilateral filtering and its applications

Sylvain Paris

August 2007 SIGGRAPH '07: ACM SIGGRAPH 2007 courses

Publisher: ACM

Full text available: pdf(27.35 MB) mov(100:20

Additional Information: full citation, abstract

Bibliometrics: Downloads (6 Weeks): 38, Downloads (12 Months): 476, Citation Count: 0

- Image-based modeling and photo editing Oh et al. ACM SIGGRAPH conference (c) 2001, Association for Computing Machinery, Inc. Reprinted by permission. http://doi. acm.org/10.1145/383259.383310 - Fast bilateral filtering for the display of highdynamic-range ...

Data clustering: a review

A. K. Jain, M. N. Murty, P. J. Flynn

September ACM Computing Surveys (CSUR), Volume 31 Issue 3

1999

Publisher: ACM

Full text available: pdf(636.24 Additional Information: full citation, abstract, references, cited by,

KB) index terms, review

Bibliometrics: Downloads (6 Weeks): 271, Downloads (12 Months): 3047, Citation Count: 256

Clustering is the unsupervised classification of patterns (observations, data items, or feature vectors) into groups (clusters). The clustering problem has been addressed in many contexts and by researchers in many disciplines; this reflects its broad ...

Keywords: cluster analysis, clustering applications, exploratory data analysis, incremental clustering, similarity indices, unsupervised learning

A survey of methods for recovering quadrics in triangle meshes



Sylvain Petitiean

June ACM Computing Surveys (CSUR), Volume 34 Issue 2

2002

Publisher: ACM

Additional Information: full citation, abstract, references, cited by, index Full text available: pdf(3.91

MB) terms

Bibliometrics: Downloads (6 Weeks): 21, Downloads (12 Months): 273, Citation Count: 10

In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, modelbased recognition and algebraic surface design, there is a need to recover the shape of visible ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shape recovery

Facial modeling and animation



Jörg Haber, Demetri Terzopoulos

August 2004 SIGGRAPH '04: ACM SIGGRAPH 2004 Course Notes

Publisher: ACM

Full text available: pdf(18.15

Additional Information: full citation, abstract

Bibliometrics: Downloads (6 Weeks): 35, Downloads (12 Months): 984, Citation Count: 0

In this course we present an overview of the concepts and current techniques in facial modeling and animation. We introduce this research area by its history and applications. As a necessary prerequisite for facial modeling, data acquisition is discussed ...

Empathic painting: interactive stylization through observed emotional state



Maria Shugrina, Margrit Betke, John Collomosse

June

NPAR '06: Proceedings of the 4th international symposium on Non-

2006 photorealistic animation and rendering

Publisher: ACM

Full text available: pdf(757.68

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 12. Downloads (12 Months): 130. Citation Count: 0

We present the "empathic painting" --- an interactive painterly rendering whose appearance adapts in real time to reflect the perceived emotional state of the viewer. The empathic painting is an experiment into the feasibility of using high level control ...

Keywords: FACS, animation, emotion, painterly rendering

A morphable model for the synthesis of 3D faces

Volker Blanz, Thomas Vetter

July SIGGRAPH '99: Proceedings of the 26th annual conference on Computer

graphics and interactive techniques 1999

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: pdf(2.76

Additional Information: full citation, references, cited by, index terms

MB)

Bibliometrics: Downloads (6 Weeks): 36, Downloads (12 Months): 499, Citation Count: 124

Keywords: computer vision, facial animation, facial modeling, morphing, photogrammetry, registration

Hierarchical parsing and recognition of hand-sketched diagrams

Levent Burak Kara, Thomas F. Stahovich

October UIST '04: Proceedings of the 17th annual ACM symposium on User

2004 interface software and technology

Publisher: ACM

Full text available: pdf(420.41 Additional Information: full citation, abstract, references, cited by,

> KB) index terms

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 112, Citation Count: 5

A long standing challenge in pen-based computer interaction is the ability to make sense of informal sketches. A main difficulty lies in reliably extracting and recognizing the intended set of visual objects from a continuous stream of pen strokes.

Existing ...

Keywords: Simulink, pen computing, pnns, sketch understanding, symbol

recognition, visual parsing

Hierarchical parsing and recognition of hand-sketched diagrams



Levent Burak Kara, Thomas F. Stahovich

August 2007 SIGGRAPH '07: ACM SIGGRAPH 2007 courses

Publisher: ACM

Full text available: pdf(318.42

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 152, Citation Count: 0

A long standing challenge in pen-based computer interaction is the ability to make sense of informal sketches. A main difficulty lies in reliably extracting and recognizing the intended set of visual objects from a continuous stream of pen strokes.

Existing ...

Keywords: SimuSketch, pen computing, simulink, sketch understanding, symbol recognition, visual parsing

10 Modeling human performance of pen stroke gestures



Xiang Cao, Shumin Zhai

CHI '07: Proceedings of the SIGCHI conference on Human factors in April

2007 computing systems

Publisher: ACM

Full text available: pdf(556.78

Additional Information: full citation, abstract, references, index terms

KB)

Bibliometrics: Downloads (6 Weeks): 25, Downloads (12 Months): 336, Citation Count: 0

This paper presents a quantitative human performance model of making singlestroke pen gestures within certain error constraints in terms of production time. Computed from the properties of Curves, Line segments, and Corners (CLC) in a aesture stroke, ...

Keywords: experimental study, pen input, pen stroke gestures

11 Endpoint prediction using motion kinematics

Edward Lank, Yi-Chun Nikko Cheng, Jaime Ruiz

April CHI '07: Proceedings of the SIGCHI conference on Human factors in

2007 computing systems

Publisher: ACM

Full text available: pdf(9.64

MB)

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 20, Downloads (12 Months): 257, Citation Count: 0

Recently proposed novel interaction techniques such as cursor jumping [1] and target expansion for tiled arrangements [13] are predicated on an ability to effectively estimate the endpoint of an input gesture prior to its completion. However, current ...

Keywords: Fitts' Law, cursor prediction, kinematics, minimum jerk, motion

12 Stylized video cubes



Allison W. Klein, Peter-Pike J. Sloan, Adam Finkelstein, Michael F. Cohen

July SCA '02: Proceedings of the 2002 ACM SIGGRAPH/Eurographics symposium on

2002 Computer animation

Publisher: ACM

Full text available: pdf(1.56 MB)

Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 41, Citation Count: 9

We present a new set of non-photorealistic rendering (NPR) tools for processing video. Our approach is to treat the video as a space-time volume of image data. Previous tools to process video for an impressionist effect have painted collections of two-dimensional ...

13 Stylization and abstraction of photographs



Doug DeCarlo, Anthony Santella

July SI GGRAPH '02: Proceedings of the 29th annual conference on Computer

2002 graphics and interactive techniques

Publisher: ACM

Full text available: pdf(2.47 Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 204, Citation Count: 30

Good information design depends on clarifying the meaningful structure in an image. We describe a computational approach to stylizing and abstracting photographs that explicitly responds to this design goal. Our system transforms images into a line-drawing ...

Keywords: eye-tracking, image simplification, non-photorealistic rendering, visual perception

14 Stylization and abstraction of photographs



Doug DeCarlo, Anthony Santella

July ACM Transactions on Graphics (TOG), Volume 21 Issue 3 2002

Publisher: ACM

Full text available: pdf(2.47 Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 204, Citation Count: 30

Good information design depends on clarifying the meaningful structure in an image. We describe a computational approach to stylizing and abstracting photographs that explicitly responds to this design goal. Our system transforms images into a linedrawing ...

Keywords: eye-tracking, image simplification, non-photorealistic rendering, visual perception

15 <u>Curvature-Based Transfer Functions for Direct Volume Rendering: Methods and</u> Applications

Gordon Kindlmann, Ross Whitaker, Tolga Tasdizen, Torsten Moller

October VIS '03: Proceedings of the 14th IEEE Visualization 2003 (VIS'03)

2003

Publisher: IEEE Computer Society

Full text available: pdf(464.05 Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 16, Downloads (12 Months): 98, Citation Count: 8

Direct volume rendering of scalar fields uses a transfer function to map locally measured data properties to opacities and colors. The domain of the transfer function is typically the one-dimensional space of scalar data values. This paper advances the ...

Keywords: volume rendering, implicit surface curvature, convolution-based differentiation, non-photorealistic rendering, surface processing, uncertainty visualization, flowline curvature

16 DAB: interactive haptic painting with 3D virtual brushes

Bill Baxter, Vincent Scheib, Ming C. Lin, Dinesh Manocha

August SIGGRAPH '01: Proceedings of the 28th annual conference on Computer

2001 graphics and interactive techniques

Publisher: ACM

Full text available: pdf(10.82 Additional Information: full citation, abstract, references, cited by,

B) index terms

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 73, Citation Count: 24

We present a novel painting system with an intuitive haptic interface, which serves as an expressive vehicle for interactively creating painterly works. We introduce a deformable, 3D brush model, which gives the user natural control of complex brush ...

Keywords: Human Computer Interaction, deformable brush model, haptics, painting systems

17 DAB: interactive haptic painting with 3D virtual brushes



Bill Baxter, Vincent Scheib, Ming C. Lin, Dinesh Manocha July SI GGRAPH '05: ACM SIGGRAPH 2005 Courses

2005

Publisher: ACM

Full text available: pdf(464.97

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>

Bibliometrics: Downloads (6 Weeks): 17, Downloads (12 Months): 156, Citation Count: 0

We present a novel painting system with an intuitive haptic interface, which serves as an expressive vehicle for interactively creating painterly works. We introduce a deformable, 3D brush model, which gives the user natural control of complex brush ...

Keywords: deformable brush model, haptics, human computer interaction, painting systems

18 A continuous clustering method for vector fields

H. Garcke, T. Preußer, M. Rumpf, A. Telea, U. Weikard, J. van Wijk

October VIS '00: Proceedings of the conference on Visualization '00

2000

Publisher: IEEE Computer Society Press

Full text available: pdf(1.64 MB)

Additional Information: full citation, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 43, Citation Count: 1

19 Abstracted painterly renderings using eye-tracking data

Anthony Santella, Doug DeCarlo

June NPAR '02: Proceedings of the 2nd international symposium on Non-

2002 photorealistic animation and rendering

Publisher: ACM

Full text available: pdf(2.23 Additional Information: full citation, abstract, references, cited by, index

MB) terms

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 61, Citation Count: 4

When used by artists, manual interfaces for painterly rendering can yield very satisfying abstract transformations of images. Automatic techniques produce interesting paintings as well, but can only recast pictures in a different style without performing ...

Keywords: automatic painting, eye-tracking, image simplification, perceptual model

20 Real-time hatching



Emil Praun, Hugues Hoppe, Matthew Webb, Adam Finkelstein

August SIGGRAPH '01: Proceedings of the 28th annual conference on Computer

2001 graphics and interactive techniques

Publisher: ACM

Full text available: pdf(6.06 Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 90, Citation Count: 44

Drawing surfaces using hatching strokes simultaneously conveys material, tone, and form. We present a real-time system for non-photorealistic rendering of hatching strokes over arbitrary surfaces. During an automatic preprocess, we construct a sequence ...

Keywords: chicken-and-egg problem, line art, multitexturing, non-photorealistic rendering

Results 1 - 20 of 41 Result page: 1 2 3 next

<u>> ></u>

The ACM Portal is published by the

Association for Computing Machinery. Copyright © 2008 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player